

Material Safety Data Sheet According to 91/155/EEC and ISO 11014-1

1. Identifical of substance:

Product Name: Iron Oxide Green

Company Name: Yuxing Pigment Co.,Ltd Manufacturer Name: Yuxing Pigment Co.,Ltd

Chemical Name: synthetic iron oxide FE2O3.H2O(α-FeOOH),C.I.Pigment yellow 42/blue 15:3

CAS.NO: 51274-00-1,147-14-8

Percentage of concentration: Fe2O3 55%; PHTHALO BLUE 11%; CAS NO.: 12239-87-1 Calcium titanate 33%; CAS NO.: 12049-50-2

water1% CAS NO.: 7732-18-5

Einecs NO: 243-746-4

2. Hazardoous ingredients:

THIS PRODUCT CONTAINS NO HAZARDOUS INGREDIENTS

3. Physicao and chemical properties:

PHYSICAL FORM.....SOLID: POWER

COLER......GREEN

105°C VOLATILE1.0%MAX

RESIDUES ON 325 MESH......0.3%MAX

RELATIVE TINTING STRENGTH......100%

4. Fire and explosion data:

FLASH POINT.....NOT APPLICABLE

AUTO-IGNITION TEMPERATURE...NOT APPLICABLE

EXTINGUISHING MEDIA...... MATERIAL IS NOT COMBUSTIBLE. USE EXTINGUISHING

MEDIA SUITABLE FOR OTHER COMBUSTIBLE MATERIALS IN THE AREA.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

5. Human health data:

ROUTES OF ENTRY: EYE CONTACT, SKIN CONTACT, INHALATION

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE

ACCUTE EFFECTS OF EXPOSURE...... ON THE BASIS OF ANIMAL TOXICITY

DATA WE WOULD EXPECT THIS PRODUCT TO BE NON-IRRITATING TO THE EYES AND SKIN AND ESSENTIALY NON-TOXIC BY INGESTION. HOWEVER, EXCESSIVE EXPOSURE TO AIRBORNE DUST: MAY REDUCE VISIBILITY AND /OR CAUSE IMPLEASANT DEPOSITS IN THE EYES, EARS AND NOSE. TO THE SKIN OR MUCOUS MEMBRANES CAN OCCUR BY DIRECT MECHANICAL

ACTION OR BY RIGOROUS SKIN CLEANING NECESSARY FOR MEMBER OF DUST.

CHRONIC EFFECTS OF EXPOSURE......NO CHRONIC HEALTH EFFECTS ARE KNOWN

FROM REPEATED EXPOSURE TO IRON OXIDE PIGMENTS.

OTHER EFFECTS OF EXPOSURE....... PROLONGED INHALATION (6 TO 10 YEARS) OF IRON OXIDE FUME HAS BEEN REPORTED TO PRODUCE CHANGE IN LUNG RAYS OF EXPOSED INDIVIDUALS. THIS CONDITION, SIDEROSIS, IS CONSIDERED TO BE A BEGIN PHUEMOCONIOSIS THAT EXHIBIES NO ADVERSE HEALTH EFFECTS. SIDEROSIS HAS BEEN PRESENT. TO THE BEST OF OUR KNOELEDGE, THIS CONDITION HAS NOT BEEN OBSERVED AFTER PROLONGED EXPOSURE TO IRON OXIDE PIGMENTS.



YUXING C O . .

6. Employee protection recommendations:

EYES PROTECTION REQUIREMENTS......SAFETY GLASS ARE RECOMMENDED SKIN PROTECTION REQUIREMENTS......RUBBER, CLOTH, OR PLASTIC GLOVES ARE RECOMMENDED TO REDUCE SKIN CONTACT WHERE APPROPRIATE FOR JOB **CONDITIONS**

RESPIRATOR REQUIREMENTS......AMBIENT CONCENTRATIONS IN THE WORK AREA SHOULD BE MONITORED AND IF THE RECOMMENDED EXPOSURE LIMIT IS EXCEEDED, A NIOSH/MSHA APPROVED DUST RESPIRATOR SHOULD BE WORN.

VENTILATION REQUIREMENTS......USE LOCAL VENTILATION TO MAINTAIN AIR LEVEL BELOW THE RECOMMENDED EXPOSURE LIMIT IF DUSTING IS A PROBLEM.

ADDITIONAL PROTECTIVE MEASURES....EYE WASH STARIONS AND WASHING FACLICLE SHOULD BE AVAILABLE. EMPLOYEES SHOULD WASH THEIR HANDS AND FACE BEFORE EATING, DRINKING OF USING TOBACCO PROCUCTS.

7. Spilland leak procedures:

SPILL AND LEAK PROCEDURES......VACUUM OR SCOOP MATERIAL INTO AN APPROPRIATELY MARKED CONTAINER FOR RECLAMATION OF DISPOSAL. AVOID ESCESSIVE GENERATION OF DUST. IF DUST IS GENERATED. USE APPROPRIATE RESPIRATORY PROTECTION.

WASTE DISPOSAL METHOD......MATERIAL SHICH CANNOT BE RECYCLED INTO YOUR PROCESS SHOULD BE LANDFILLED IN ACCORDANCE WITH FEDERAL STATE AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

8. Special precautions and storage data

STORAGE TEMPERATURE (MIN/MAX) : AMBIENT/AMBIENT

SHELF LIFE.....UNLIMITED

SPECIAL BENSITIVITY...... NONE KNOW

HANDLING STORAGE PRECAUTIONS.....STORE DRY AT AMBIENT TEMPERATURE AWAY FROM FOOD AND BEVERAGE. AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING.

THIS INFORMATION IS FURNISHES WITHOUT WARRANTY, EXPREED OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOELEDGE OF YIXING YUXING PIGMENT FACTORY. THE DATE ON THIS SHEET REFATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN. YIXING CITY YUXING PIGMENT FACTORY ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THESE DATA.

9. Physical and chemical properties

Form: powder Color: red Odor: odorless

Change in physical state Thermal Decomposition:

Flash point: not flammable

Flammable properties: The product is not flammable under standardized conditions.

Explosion risks: The product is not explosive.

Specific Gravity: Greater than 1.

Viscosity: Not applicable.

Vapour pressure: Not applicable.

Density:

part 10

Solubility in water:

n..a. (20℃)

4.1

Value/Area

mbcar g/cm⁸⁵⁶

DIN/ISO 787

Method

Lit.

< 0.5 % **DIN/ISO 787**

Unit

(20℃)



江 苏 宇 星 科 技 有 限 公 司 YUXING PIGMENT CO.. LTD

part 3

PH-Value: (at 100 g/l H_2O) (20°C) ca.3.5-7 DIN/ISO 787

part 9

10. Stability and reactivity

Hazardous Polymerization: Will not occur.

Stability: Stable Material. Incompatibilities: None known. Instability conditions: None known.

Decomposition temperature: Greater than 120 ℃.

Decomposition products: None known.

11. Toxicological Information

Acute Toxicity:

LD50/oral/rat: Not tested. LD50/inhal/rat: Not tested. Sensitizing: None expected.

Primary skin irritation/rabbit: No data available.

Because of experiences with the product mentioned, there are on recognizable hazards for

human beings, if it is correctly used and applied.

12. Ecological informations

Mobility: No data available.
Degradability: No data available.
Accumulation: No data available.
Short and long term effects on:
Ecotoxicity: No data available.

Other adverse effects: No data available.

13. .Disposal considerations

Product:

Material which can not be re-used should be disposed in according with federal, state and local environmental control regulations at an authorized site by an approved contractor. This product when discarded as sold is not a RCRA hazardous waste. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified

as a hazardous waste. (40CFR 261.20-24)

Waste Code No.:

Check re-use as alternative.

Contaminated packages and containers:

Emptied, but contaminated packages and containers may be recycled

Waste Code No.: 18715 (Germany)

14. Transport information

International:

Land transport: ADR/RID/GGVS/GGVE: Not Regulated Not Regulated Not Regulated Not Regulated Not Regulated Not Regulated Not Regulated

U.S. D.O.T. Classification: Not Regulated



江 苏 宇 星 科 技 有 限 公 司 YUXING PIGMENT CO., LTD

CANADA Transport of dangerous goods: Not Regulated

DOT Shipping Name: None

Technical Shipping Name: Inorganic Oxide

DOT Hazardous Classification: Non-Regulated. This product is not classed as a dangerous

substance under the classification, Packaging and Labeling of Dangerous Goods Act.

DOT Hazard Class: Non-Regulated. DOT Identification Number: None DOT Labels required: None

DOT Placards required: None. No specific transportation precautions required.

UN Class: None UN/NA Number: None

15. Regulatory information

<u>Labeling according to EEC Directives:</u> Not regulated.

SARA SARA 312:

Health: Immediate (Acute): No* Fire: None Delayed (Chronic): No** Reactivity: None

Sudden release of pressure: None

Not an acute hazard, however may cause irritation due to abrasiveness.

These products are not classified as Carcinogens by the National Toxicology Program, the International Agency for Research on Cancer or the Occupational Safety and Health Administration. We do not know of any chronic health effect from these products. The finished pigment is a fine powder and may increase the risk of respiratory and skin discorders aggravated by dust.

The product is not a substance subject to mandatory marking in accordance with the EEC Directive 67/548/EEC or amendments.

Water risk class: WGK 0 (Self-assessment, acc. to § § 7a 19,19a-1 of German Water Utilization Act (WHG).

16. Further information:

HMIS Codes: H=0,F=0,R=0,P=0 (0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe) Vertical markings at left margin denote alterations of previous issue.

The information contained herein is based on the present state of our knowledge, but without liability, which is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the manufacturer. The data on this sheet relates only to the specific material designated herein. It may not be valid for this material responsibility to verify suitability and completeness of this information for their own particular use. The manufacturer assumes no legal responsibility for use or reliance upon these data.

Department issuing this data sheet: Product safety department